




LOOPS IN FINISH COURSE

## NOTES:

- 1. CUT THE DIAGONALS AS SHOWN TO PREVENT SHARP BENDS IN THE WIRE. OVERCUT THE DIAGONALS SO THAT THE CORNERS HAVE THE FULL DEPTH REQUIRED.
- 2. THE SAW CUT SHALL BE AS SHOWN UNLESS OTHERWISE NOTED.
- BLOW OUT ALL SAW CUTS BEFORE INSERTING THE WIRES. WIRES SHALL BE INSERTED IN SUCH A MANNER THAT THE INSULATION SHALL NOT BE DAMAGED.
- 4. SAW CUTS SHALL BE FILLED WITH EPOXY LOOP SEALANT, OR EQUIVALENT SEALANT AS APPROVED BY CITY ENGINEER.
- USE SAME MATERIAL (OR APPROVED EQUAL) FOR PATCHING EXISTING PAVEMENT. PATCH TO AT LEAST 1/4" HIGHER THAN SURFACE OF EXISTING PAVEMENT.
- 6. ALL DETECTOR LOOPS SHALL BE GIVEN A CONTINUITY AND INSULATION TEST BEFORE AND AFTER PLACING THE FINAL PAVING OR PLACING THE SEALER IN THE SAW CUTS.
- 7. LOOP DETECTORS SHALL BE LOCATED IN CENTER OF TRAVELED LANE UNLESS OTHERWISE NOTED ON PLANS AND SHALL BE APPROVED PRIOR TO SAW CUTTING.
- 8. LEFT-TURN LANE DETECTOR LEAD-IN SHALL BE INSTALLED IN A SEPARATE SAW CUT.
- NO MORE THAN TWO ADJACENT DETECTOR LEAD—INS SHALL BE IN THE SAME SAW CUT.
- 10. DETECTOR LEAD-IN SAW CUTS SHALL BE 1' APART.



LOOPS IN SUB-BASE

DETAIL NO. **G-3275** 

CITY OF GOODYEAR STANDARD DETAIL APPROVED BY: Goodyear Standards and Policies Committee 7/97

TRAFFIC LOOP DETECTOR DETAIL

DETAIL NO. **G-3275**